



MARMO ROYAL





39100
perla 60x60 lapp. / rett.
box pz 3

F 116,50



39101
avorio 60x60 lapp. / rett.
box pz 3

F 116,50



39102
beige 60x60 lapp. / rett.
box pz 3

F 116,50



39103
grigio 60x60 lapp. / rett.
box pz 3

F 116,50



39120
perla 30x30 lapp. / rett.
box pz 12

F 116,50



39121
avorio 30x30 lapp. / rett.
box pz 12

F 116,50



39122
beige 30x30 lapp. / rett.
box pz 12

F 116,50



39123
grigio 30x30 lapp. / rett.
box pz 12

F 116,50



MARMO ROYAL

60x60 . 24"x24" 30x30 . 12"x12"




MARMO ROYAL

Gres porcellanato

porcelain stoneware gres cérame feistenzeug gres porcelánico **Керамогранит**

PEZZI SPECIALI

TRIMSPIECES SPECIALES FORMSTÜCKE PIESAZ ESPECIALES **СПЕЦИАЛЬНЫЕ ИЗДЕЛИЯ**



battiscopa 10x60

ML39100 perla

ML39101 avorio

ML39102 beige

ML39103 grigio

ML39104 moka

ML39105 antracite

box pz 10 **PZ 20,80**



39104

moka 60x60 lapp. / rett.
box pz 3

F 116,50



39105

antracite 60x60 lapp. / rett.
box pz 3

F 116,50



39124

moka 30x30 lapp. / rett.
box pz 12

F 116,50



39125

antracite 30x30 lapp. / rett.
box pz 12

F 116,50

PACKING AND WEIGHT EMBALLAGE ET POIDS VERPACKUNG UND GEWICHT EMBALAJES Y PESOS **УПАКОВКИ И ВЕС**

Formati
Sizes

	 Spessore	 Pcs/box	 mq/box	 Kg/box	 Box/pal	 mq/pal	 Kg/palette
60x60	11	3	1,08	26,25	32	34,56	860
30x30	11	12	1,08	27,60	40	43,20	1.124



39000
perla rettificato 24x59
box pz 8

F 78,00



39001
avorio rettificato 24x59
box pz 8

F 78,00



39003
grigio rettificato 24x59
box pz 8

F 78,00



39002
beige rettificato 24x59
box pz 8

F 78,00




39005
antracite rettificato 24x59
box pz 8

F 78,00




39004
moka rettificato 24x59
box pz 8

F 78,00



39006
mosaico mix freddo rettificato 24x59
box pz 8

F 99,90



39007
mosaico mix caldo rettificato 24x59
box pz 8

F 99,90



39009
mosaico antracite rettificato 24x59
box pz 8

F 99,90



39008
mosaico moka rettificato 24x59
box pz 8

F 99,90



MARMO ROYAL

24x59 . 9,4"x23,2"



39040
decoro dea perla 24x59
box pz 4

PZ 71,80



39043
decoro dea grigio 24x59
box pz 4

PZ 71,80




39050
listello dea perla 3x59
box pz 6

PZ 20,80



39053
listello dea grigio 3x59
box pz 6

PZ 20,80



39045
decoro dea antracite 24x59
box pz 4

PZ 71,80



39055
listello dea antracite 3x59
box pz 6

PZ 20,80

Rivestimento in pasta bianca

white body wall tiles revêtements en pâte blanche Weißscherbige Wandfliesen revestimiento de pasta blanca Настенная плитка из белой глины



39041
decoro dea avorio 24x59
box pz 4

PZ 71,80



39042
decoro dea beige 24x59
box pz 4

PZ 71,80



39051
listello dea avorio 3x59
box pz 6

PZ 20,80



39052
listello dea beige 3x59
box pz 6

PZ 20,80



39044
decoro dea moka 24x59
box pz 4

PZ 71,80



39054
listello dea moka 3x59
box pz 6

PZ 20,80

MARMO ROYAL

24x59 . 9,4"x23,2"



39020
formella astra lustro caldo 24x59
box pz 4

PZ 192,40



39025
listello astra lustro caldo 8x59
box pz 6

PZ 72,80




39022
formella astra lustro freddo 24x59
box pz 4

PZ 192,40



39027
listello astra lustro freddo 8x59
box pz 6

PZ 72,80




39126
mosaico pois versione calda 30x32
box pz 6

PZ 87,40



39010
bacchetta arky oro 2x59
box pz 6

PZ 59,30



39127
mosaico pois versione fredda 30x32
box pz 6

PZ 87,40



39011
bacchetta arky platino 2x59
box pz 6

PZ 59,30

Rivestimento in pasta bianca

white body wall tiles revêtements en pâte blanche Weißscherbige Wandfliesen revestimiento de pasta blanca Настенная плитка из белой глины

CONSIGLI PER LA PULIZIA DOPO POSA E LA MANUNTENZIONE TIPS FOR CLEANING AFTER LAYNING AND MAINTENANCE CONSEILS POUR LE NETTOYAGE APRÈS LA POSE ET L'ENTRETIEN TIPPIS FÜR DIE REINIGUNG NACH DEM VERLEGEN UND DIE INSTANDHALTUNG

The care taken with clearing after laying will determine how easy it is to clean the flooring for its entire lifespan. The surface of a fully vitrified tile is made of material similar to glass and it should be treated as such during cleaning. The process of cleaning new flooring for the first time is extremely important. Suitable products must be used to remove all of the cement residue left after the laying and grouting phases. Use 1 part of an acid-based detergent such as KERANET to 5 parts of water and rub it thoroughly, obviously with a non-abrasive material (such as a singlebrush machine with Scotch Brite disc). Afterwards, it is important to rinse thoroughly with special wet vacuum equipment until the used water is clear. If this procedure is not carried out properly, an invisible layer of lime scale will remain and over time it may become stained or prevent deep cleaning. Once you have done this and you are sure that the tiles have been cleaned thoroughly, there will be no more problems with the flooring. If the initial cleaning is not done properly and there are marks, stains, dull tiles or similar problems, it will be necessary to start the cleaning process from scratch, i.e. first with an acid-based detergent and then washing and rinsing repeatedly with water, which must always be clean. There are no detergents that are capable of cleaning such dirty flooring immediately with just one application. Ordinary cleaning can also cause marks and stains, especially on soft or smooth surfaces. We must remember that we are dealing with a vitreous material and treat it as such. At the time of laying, slabs with a glossy finish need to be cleaned properly with detergents and their surface must be protected with specific products (see the table). For everyday cleaning, it is sufficient to remove the dust with a dry cloth and clean the surface with a neutral, low residue detergent such as Mr. Clean. It should be diluted in the ratio 1:200 in water (a small cup into a 5 litre bucket of water) and applied with a damp microfibre cloth, which must be rinsed in the water frequently. The use of dirty water, polish or too much detergent can lead to the creation of an invisible film over time that will cause marks and stains to form. Finally, please note that you should never use spray or anti-rust stains removers because they often contain hydrofluoric acid. No floors are resistant to this type of acid and it would cause irreparable damage.

The care taken with clearing after laying will determine how easy it is to clean the flooring for its entire lifespan. The surface of a fully vitrified tile is made of material similar to glass and it should be treated as such during cleaning. The process of cleaning new flooring for the first time is extremely important. Suitable products must be used to remove all of the cement residue left after the laying and grouting phases. Use 1 part of an acid-based detergent such as KERANET to 5 parts of water and rub it thoroughly, obviously with a non-abrasive material (such as a singlebrush machine with Scotch Brite disc). Afterwards, it is important to rinse thoroughly with special wet vacuum equipment until the used water is clear. If this procedure is not carried out properly, an invisible layer of lime scale will remain and over time it may become stained or prevent deep cleaning. Once you have done this and you are sure that the tiles have been cleaned thoroughly, there will be no more problems with the flooring. If the initial cleaning is not done properly and there are marks, stains, dull tiles or similar problems, it will be necessary to start the cleaning process from scratch, i.e. first with an acid-based detergent and then washing and rinsing repeatedly with water, which must always be clean. There are no detergents that are capable of cleaning such dirty flooring immediately with just one application. Ordinary cleaning can also cause marks and stains, especially on soft or smooth surfaces. We must remember that we are dealing with a vitreous material and treat it as such. At the time of laying, slabs with a glossy finish need to be cleaned properly with detergents and their surface must be protected with specific products (see the table). For everyday cleaning, it is sufficient to remove the dust with a dry cloth and clean the surface with a neutral, low residue detergent such as Mr. Clean. It should be diluted in the ratio 1:200 in water (a small cup into a 5 litre bucket of water) and applied with a damp microfibre cloth, which must be rinsed in the water frequently. The use of dirty water, polish or too much detergent can lead to the creation of an invisible film over time that will cause marks and stains to form. Finally, please note that you should never use spray or anti-rust stains removers because they often contain hydrofluoric acid. No floors are resistant to this type of acid and it would cause irreparable damage.

The care taken with clearing after laying will determine how easy it is to clean the flooring for its entire lifespan. The surface of a fully vitrified tile is made of material similar to glass and it should be treated as such during cleaning. The process of cleaning new flooring for the first time is extremely important. Suitable products must be used to remove all of the cement residue left after the laying and grouting phases. Use 1 part of an acid-based detergent such as KERANET to 5 parts of water and rub it thoroughly, obviously with a non-abrasive material (such as a singlebrush machine with Scotch Brite disc). Afterwards, it is important to rinse thoroughly with special wet vacuum equipment until the used water is clear. If this procedure is not carried out properly, an invisible layer of lime scale will remain and over time it may become stained or prevent deep cleaning. Once you have done this and you are sure that the tiles have been cleaned thoroughly, there will be no more problems with the flooring. If the initial cleaning is not done properly and there are marks, stains, dull tiles or similar problems, it will be necessary to start the cleaning process from scratch, i.e. first with an acid-based detergent and then washing and rinsing repeatedly with water, which must always be clean. There are no detergents that are capable of cleaning such dirty flooring immediately with just one application. Ordinary cleaning can also cause marks and stains, especially on soft or smooth surfaces. We must remember that we are dealing with a vitreous material and treat it as such. At the time of laying, slabs with a glossy finish need to be cleaned properly with detergents and their surface must be protected with specific products (see the table). For everyday cleaning, it is sufficient to remove the dust with a dry cloth and clean the surface with a neutral, low residue detergent such as Mr. Clean. It should be diluted in the ratio 1:200 in water (a small cup into a 5 litre bucket of water) and applied with a damp microfibre cloth, which must be rinsed in the water frequently. The use of dirty water, polish or too much detergent can lead to the creation of an invisible film over time that will cause marks and stains to form. Finally, please note that you should never use spray or anti-rust stains removers because they often contain hydrofluoric acid. No floors are resistant to this type of acid and it would cause irreparable damage.

The care taken with clearing after laying will determine how easy it is to clean the flooring for its entire lifespan. The surface of a fully vitrified tile is made of material similar to glass and it should be treated as such during cleaning. The process of cleaning new flooring for the first time is extremely important. Suitable products must be used to remove all of the cement residue left after the laying and grouting phases. Use 1 part of an acid-based detergent such as KERANET to 5 parts of water and rub it thoroughly, obviously with a non-abrasive material (such as a singlebrush machine with Scotch Brite disc). Afterwards, it is important to rinse thoroughly with special wet vacuum equipment until the used water is clear. If this procedure is not carried out properly, an invisible layer of lime scale will remain and over time it may become stained or prevent deep cleaning. Once you have done this and you are sure that the tiles have been cleaned thoroughly, there will be no more problems with the flooring. If the initial cleaning is not done properly and there are marks, stains, dull tiles or similar problems, it will be necessary to start the cleaning process from scratch, i.e. first with an acid-based detergent and then washing and rinsing repeatedly with water, which must always be clean. There are no detergents that are capable of cleaning such dirty flooring immediately with just one application. Ordinary cleaning can also cause marks and stains, especially on soft or smooth surfaces. We must remember that we are dealing with a vitreous material and treat it as such. At the time of laying, slabs with a glossy finish need to be cleaned properly with detergents and their surface must be protected with specific products (see the table). For everyday cleaning, it is sufficient to remove the dust with a dry cloth and clean the surface with a neutral, low residue detergent such as Mr. Clean. It should be diluted in the ratio 1:200 in water (a small cup into a 5 litre bucket of water) and applied with a damp microfibre cloth, which must be rinsed in the water frequently. The use of dirty water, polish or too much detergent can lead to the creation of an invisible film over time that will cause marks and stains to form. Finally, please note that you should never use spray or anti-rust stains removers because they often contain hydrofluoric acid. No floors are resistant to this type of acid and it would cause irreparable damage.

SI SCONSIGLIA L'USO DI FUGANTI EPOSSIDICI

TIPO DI SPORCO	DETERGENTE
Grassi animali e vegetali, gelato, succhi di frutta, the, macchie di verdura	Detergente a base alcalina: tipo Sgrassatore Chanteclair
Vino, birra, aceto, caffè, inchiostri, pennarelli, nicotina, urina, vomito, coca cola, tintura per capelli	Detergente a base alcalina: Sgrassatore NK-MAN
Depositi efflorescenze calcare, ruggine, malte, segni metallici, cera protettiva antiabrasione	Detergente a base acida: Keranet, Superdetergente by InfinityTiO2™
Resine, bitume, cera di candele, catrame, residui di scotch	NK-MAN, sgrassatore o acetone per unghie
Vernice, graffiti	NK-MAN, acetone, diluente nitro, sverniciatore

ITS NO RECOMMENDED THE USE OF EPOXY GROUT

TYPE OF DIRT	DETERGENT
Animal and vegetable fat, ice cream, fruit juice, tea, stains from vegetables	Alkaline-based detergent: Chanteclair grease remover or similar
Wine, beer, vinegar, coffee, ink, felt-tip pen, nicotine, vomit, Coca-Cola, hair dye	Alkaline-based detergent: NK-MAN grease remover
Lime scale marks, rust, mortar, metal marks, scratch prevention protective wax	Acid-based detergent: Keranet or Superdetergente by InfinityTiO2™
Resins, bitumen, candle wax, tar, adhesive tape residue	NK-MAN, sgrassatore, or nail polish remover
Paint, graffiti	NK-MAN, nail polish remover, cellulose thinner or paint stripper

NE UTILISER PAS DU MORTIER ÉPOXY

TYPE DE SALETÉ	DÉTERGENT
Graisses animales et végétales, glace, jus de fruit, thé, taches de légumes	Détergent à base alcaline: genre dégraisseur Chanteclair
Vin, bière, vinaigre, café, encres, crayons feutres, nicotine, urine, vomissure, coca-cola, teinture pour cheveux	Détergent à base alcaline: Dégraisseur NK-MAN
Dépôts efflorescences calcaire, rouille, coulis, signes métal- liques, cire protectrice anti-abrasion	Détergent à base acide: Keranet ou bien Superdetergente by InfinityTiO2™
Résines, bitume, cire de bougies, goudron, résidus de scotch	NK-MAN ou bien dégraisseur ou acétone pour ongles
Peinture, graffiti	NK-MAN ou acétone ou diluant nitrocellulosique ou décapant

NICHT BENUTZEN EPOXYMORTEL

ART DES SCHMUTZES	REINIGUNGSMITTEL
Tierische und pflanzliche Fette, Eiscreme, Fruchtsäfte, Tee, Gemüseflecken	Alkalisches Reinigungsmittel: Typ Fettentferner Chanteclair
Wein, Bier, Essig, Kaffee, Tinte, Filzstiftflecken, Nikotin, Urin, Erbrochenes, Coca Cola, Haarfärbemittel	Alkalisches Reinigungsmittel: Fettentferner NK-MAN
Kalkablagerungen und Kalkausblühungen, Rost, Mörtel, Metallflecken, Schutzwachs gegen Kratzer	Saures Reinigungsmittel: Keranet oder Superdetergente von InfinityTiO2™
Harze, Bitumen, Kerzenwachs, Teer, Kleberreste	NK-MAN oder Fettentferner oder acetonthaltiger Nagellackentferner
Lack, Graffiti	NK-MAN oder Aceton oder Nitroverdünnung oder Lackentferner

IMBALLI E PESI

PACKING AND WEIGHT EMBALLAGE ET POIDS VERPACKUNG UND GEWICHT EMBALAJES Y PESOS УПАКОВКИ И ВЕС

Formati
Sizes

	Spessore	Pcs/box	mq/box	Kg/box	Box/pal	mq/pal	Kg/palette
24x59	9	8	1,133	18,33	48	54,38	900
24x59 mosaico	9	8	1,133	18,33	48	54,38	900